

	Type	Hits	Search Text	DBs
1	BRS	0	(metal or wiring or conduct\$) adj (layer or film or pattern) and (Manhattan or octalinear or hexalinear) adj direction and section	USPAT; JPO
2	BRS	0	(metal or wiring or conduct\$) adj (layer or film or pattern) and (Manhattan or octalinear or hexalinear) adj direction	USPAT; JPO
3	BRS	0	(metal or wiring or conduct\$) adj (layer or film or pattern) and (Manhattan or octalinear or hexalinear) near direction and section	USPAT; JPO
4	BRS	11	(metal or wiring or conduct\$) adj (layer or film or pattern) and (Manhattan or octalinear or hexalinear) same direction and section	USPAT; JPO
5	BRS	7	5541005.pn. or 4904965.pn. or 4855253.pn. or 447811.pn. or 6255130.pn. or 5723908.pn. or 5912997.pn. or 4578279.pn.	USPAT; JPO
6	BRS	8	5541005.pn. or 4904965.pn. or 4855253.pn. or 4478110.pn. or 6255130.pn. or 5723908.pn. or 5912997.pn. or 4578279.pn.	USPAT; JPO
7	BRS	25	4855253.uref.	USPAT; JPO
8	BRS	11	5723908.uref.	USPAT; JPO
9	BRS	2	5541005.uref.	USPAT; JPO
10	BRS	17	(257/776 or 257/773 or 257/786) and (metal or wiring or conduct\$) adj (layer or film or pattern) and (Manhattan or octalinear or hexalinear) and direction and (section or region or area or part or portion)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB

	Type	Hits	Search Text	DBs
11	BRS	27	rostoker and (metal or wiring or conduct\$) adj (layer or film or pattern) and (Manhattan or octalinear or hexalinear) and direction and (section or region or area or part or portion)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB
12	BRS	2	5541005.uref.	USPAT; JPO
13	BRS	11	5723908.uref.	USPAT; JPO
14	BRS	1	"4673966".PN.	USPAT
15	BRS	1	"5635736".PN.	USPAT
16	BRS	1	"5723908".PN.	USPAT
17	BRS	1	"5804854".PN.	USPAT
18	BRS	1	"5804854".PN.	USPAT
19	BRS	1	"6097073".PN.	USPAT
20	BRS	1	"6107578".PN.	USPAT
21	BRS	3	5635736.uref.	USPAT; JPO
22	BRS	1	5635736.pn.	USPAT; JPO
23	BRS	1	"5440154".PN.	USPAT
24	BRS	1	5440154.pn.	USPAT; JPO
25	BRS	1	"3786319".PN.	USPAT
26	BRS	1	"3787962".PN.	USPAT
27	BRS	1	"4319396".PN.	USPAT
28	BRS	1	"4345365".PN.	USPAT
29	BRS	1	"4561168".PN.	USPAT
30	BRS	1	"4677735".PN.	USPAT
31	BRS	1	"4689657".PN.	USPAT
32	BRS	1	"4753896".PN.	USPAT

	Type	Hits	Search Text	DBs
33	BRS	1	"4804636"!PN. ▯	USPAT
34	BRS	1	"4804636".PN.	USPAT
35	BRS	1	"4884118".PN.	USPAT
36	BRS	1	"4965657".PN.	USPAT
37	BRS	1	"5010032".PN.	USPAT
38	BRS	1	"5034348".PN.	USPAT
39	BRS	1	"5256894".PN.	USPAT
40	BRS	4	5440154.uref.	USPAT; JPO
41	BRS	11	4673966.uref.	USPAT; JPO
42	BRS	7	5635736.pn. or 5541005.pn. or 6262487.pn. or 04000677.pn. or 4855253.pn. or 5723908.pn. or 5811863.pn.	USPAT; JPO
43	BRS	3	(257/758) and (metal or wiring or conduct\$) adj (layer or film or pattern) and (Manhattan or octalinear or hexalinear) and direction and (section or region or area or part or portion)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB